



Safety Data Sheet (SDS)

According to Commission Regulation (EU) 2020/2081 of 14 December 2020
amending Annex XVII to Regulation (EC) No 1907/2006 and REACH

VERSION 05 REVISION DATE 01.07.2022

BIOTEK srl Via R. Farneti 8 20129 Milano Italy P.I. 10911780152

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

| | |
|--------------|---|
| Trade name | BIOTEK |
| Product name | IBIZA |
| Product code | E15-05 18ml / E5-05 7ml |
| Description | Mixture for use in tattoos or permanent make-up |
| Manufacturer | BIOTEK srl Milano Via R. Farneti 8 Italy P.I. 10911780152 |
| Contact | Phone +39.02.7380144 security@biotek.it |
| Product use | PMU exclusive professional use |
| Content | 18ml 0.61 fl.oz / 7ml 0.24 fl.oz |
| Emergency | Contact the local poison center US 1 (800) 222-1222 American Association Poison Control Center |

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Class

This product is basically considered non-hazardous as per EC Regulation n.1272/2008
Product without risk classification to health and the environment according to CLP Regulation (CE)
n.1272/2008.

Information applicable to the quantities normally used in accordance with the practice of the treatment and on the basis of tests performed.

Potential Health Effects, Signs and Symptoms of Exposure:

| | |
|------------|---|
| Eyes | In some sensitive individuals, symptoms may include mildly to moderately irritation, redness, itching and watering. |
| Ingestion | If product is swallowed may cause nausea, vomiting and/or diarrhea. |
| Inhalation | High concentration of vapors can cause drowsiness, dizziness, headaches and/or nausea. |
| Skin | In sensitive people can cause irritation or allergic reaction. |

SECTION 3 - COMPOSITION AND INGREDIENTS INFORMATION

Mixtures General Information

Concentrated dispersion of pigments in water solution of distilled water and glycerin.
The components of this product are not listed in Annex 3.1/ Regulation (CE) n.1272/2008 except
ETHANOL CAS 64-17-5 EINECS 200-578-6

| Chemical Identity | CAS number | INCI name | EU class % | FDA % | Exposure OSHA | Limits ACGIH | Classification Annex 3.1 Reg. (CE) 1272/2008 |
|----------------------------------|------------|------------------------------|------------|-------|---------------|--------------|--|
| <i>Liquid fraction (DILUENT)</i> | | | | | | | |
| Glycerin | 56-81-5 | Glycerin | 25% - 50% | B | N/E | N/E | - |
| Ethanol | 64-17-5 | Alcohol | 10% - 25% | C | 1000ppm* | 1000ppm | H225 (Flammable) |
| Distilled water | 7732-18-5 | Aqua | 10% - 25% | C | N/E | N/E | - |
| Propylene | 57-55-6 | Propylene Glycol | 1% - 5% | E | N/E | N/E | - |
| PVP | 9003-39-8 | PVP | P.F. | P.F. | N/E | N/E | - |
| Ricin Oil | 9083-41-4 | Ricin Oil | P.F. | P.F. | N/E | N/E | - |
| Aloe arbadensis | 85507-69-3 | Aloe Barbadensis | P.F. | P.F. | N/E | N/E | - |
| Hamamelis Virginiana | 84696-19-5 | Hamamelis Virginiana | P.F. | P.F. | N/E | N/E | - |
| Polysorbate | 9005-64-5 | Polysorbate 20 | P.F. | P.F. | N/E | N/E | - |
| Magnesium Aluminium Silicate | 1327-43-1 | Magnesium Aluminium Silicate | P.F. | P.F. | N/E | N/E | - |
| <i>Solid fraction (PIGMENT)</i> | | | | | | | |
| Iron oxide black | 1317-61-9 | 77499 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide red | 1309-37-1 | 77491 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide yellow | 51274-00-1 | 77492 | P.F. | P.F. | N/E | N/E | - |
| Chromium oxide green | 1308-38-9 | 77288 | P.F. | P.F. | N/E | N/E | - |

N/E = NOT ESTABLISHED N/R = NOT REVIEWED

N/DA = NO DATA AVAILABLE N/A = NOT AVAILABLE P.F. = PROPRIETARY FORMULA

* Listed substance potentially hazardous as defined by OSHA Hazard Communication Standard (29 CFR 1910.1200) OSHA in suspension in a gas if inhaled in excess of 1000ppm.

Class % indicates the range of concentrations as per CPNP portal according to EC Regulation 1223/2009

% FDA indicates the range as per the "Guide for Cosmetic Notification Form" - FDA / Health Canada

The% are expressed according to the weight / volume ratio

FDA-codes: A1 = 75 – 100 % A2 = 50 – 75 % B = 25 – 50 % C = 10 – 25 % D = 5 – 10 % E = 1 – 5 % F = 0,1 – 1 % G = < 0,1

SECTION 4 - FIRST AID MEASURES

No injuries to the authorized personnel are known using the product. No self-protection is needed.

However, in case of need, you should take the following general measures and in the case of severe and not expected symptoms, consult a doctor.

First aid for Eye Flush with plenty of water for 15 minutes or use eyewash lotion. Seek medical attention.

First aid for Skin First aid is not normally required, however, it is good practice for exposed area to be cleaned with soap and water.

First aid for Inhalation Remove individual from the contact with substance and move to fresh air.

First aid for Ingestion Do not induce to vomiting. Flush mouth with water. Contact anti-poison centre. Seek medical advice.

SECTION 5 - FIRE FIGHTING MEASURE

Special hazards arising from the substance or mixture: none known or to be expected.

| | | |
|-------------|-----------------|---------------|
| FLASH POINT | FLAMMABLE LIMIT | AUTO IGNITION |
| > 105° C | NO DATA | 425° C |

The point of auto-ignition is dependent only on the component of alcohol

| | |
|----------------------|--|
| Extinguishing Method | Use carbon dioxide (CO ₂) or dry chemical extinguisher or aqueous foam or water for large fires. |
| Instructions | Use self-breathing device and personal protection equipment. |
| Prohibited | None. |



SECTION 6 - ACCIDENTAL RELEASE MEASURE

No harm expected. Wear appropriate equipment/clothing during clean-up.

In case of fire, extinguish the sources of ignition or heat. Cover the spillage with absorbent material (eg vermiculite), collect most of the resulting mass and discard the remainder by spraying water.

If the product has escaped into a stream, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. For waste disposal see additionally section 13.

SECTION 7 - HANDLING AND STORAGE

Do not eat, drink and/or smoke during handling. Clean already opened packages after usage. Follow the mandatory shelf life of the products before and after opening. Wash hands prior to use and follow local hygiene measures. Store sealed containers in a cool, dry place away from light and heat. Avoid direct exposure to the sun. The containers and empty containers can contain product residue and must be managed properly. Place the containers in such a way that the labels are clearly visible.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

No special precaution must be adopted for normal use.

Follow the techniques of good personal hygiene. Do not eat, drink or smoke while using the product.

Precautionary measures Allow adequate ventilation to the premises where the product is stored and / or handled.

Eye /face Protection Use chemical splash goggles

Skin Protection Use protective gloves made of natural latex, neoprene, PVC vinyl or Nitrile.

Respiratory Protection Not needed for normal use

The exposure limit for ethanol content, if inhaled by air is:

ACGIH-TLV 1000 ppm - OSHA-PEL 1000 ppm - TLV TWA 1000 ppm - 983 mg/m³

Eye/face protection Wear safety goggles where there is risk of eye contact.

Skin protection Wear suitable gloves.

Respiratory protection Provide adequate ventilation.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------|---|
| Appearance | Creamy liquid |
| Odor | neutral to slightly alcoholic |
| Color | Light Brown |
| Ph | 4,5 - 7,5 |
| Solubility in water | Diluent soluble in water at 20 ° C - Pigment insoluble. |
| Flammability | Non flammable |

SECTION 10 - STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. We are not aware of specific conditions that may result in hazardous reactions. The product is non-reactive and does not polymerize. At temperatures above 100 ° C it causes the evaporation of the liquid component of the product. Incompatible substances are not identified. Do not allow the product to come into contact with acids, bases, oxidizing and reducing agents that can cause a dangerous reaction.

SECTION 11 - TOXICOLOGICAL INFORMATION

The product does not have any known toxic or comparable adverse effects on human health.

Information on likely routes of exposure

| | |
|--------------|---|
| Ingestion | Ingestion may cause irritation and malaise. |
| Inhalation | Inhalation may irritate respiratory system. |
| Skin contact | No adverse effects known or expected. |
| Eye contact | Direct contact may irritate the eyes. |

SECTION 12 - ECOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Environmental stability | Use according to good working practices, avoiding disposal in the environment. Inform the relevant authorities if the product in large quantities, has reach waterways or sewers, and if it has contaminated soil or vegetation. |
| Effects on plants and animals | Not available. |
| Effects on aquatic life | Not available. |

SECTION 13 - DISPOSAL CONSIDERATION

This product is not identified as a hazardous waste under RCRA 40 CFR 261, and is not regulated by CERCLA (Superfund). Dispose of residual waste should be in accordance with local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

IMGD (maritime): not hazardous material
ADR (road transport): not hazardous material
RID (transport by rail): not hazardous material
IATA Regulation (transport by air): Not hazardous material
Transport / Additional information: The product is not dangerous

SECTION 15 - REGULATORY INFORMATION

EC Directive 2020/2081 REACH and amendments
EC Directive 1907/2006
EU Regulation ResAp(2008)1 on requirements and criteria for the safety of tattoos and pmu
Tätowiermittelverordnung 13.11.2008
EC Directive 1272/2008/EC Classification, labeling and packaging of substances and mixtures
EC Regulation 453/2010
EC Directive 2008/128/CE Colors for use in foodstuffs
EC Regulation No 1223/2009 on Cosmetic Products
OSHA Hazard Communication Standard - non-hazardous under 29 CFR 1910.1200

SECTION 16 - OTHER INFORMATION

Carefully follow the directions and recommendations of the MSDS.

Store in a cool place. Keep the original packing. Keep out of the reach of children.

The information and recommendations contained in this safety data sheet are based on data and sources believed to be accurate, and report the most reasonable and correct at time of preparation of the sheet. However, we do not grant any express or implied warranty as to the accuracy of the data or results obtained from the use of this product.

This data sheet gives the most important parameters and safety standards commonly accepted and cannot be considered an exhaustive document on the risks.

The information is provided in good faith and it is your responsibility to evaluate the correct conditions of use and applicable safety and environmental protection.

The company assumes no responsibility for personal injury and damage to persons and / or property damage caused by the product.

Instruction for use

Carefully follow the instructions on the label. The product is for professional use only. Avoid any use not expected by the manufacturer. Proper professional title of qualification is required for use.

To be used in combination with sterile /disposable accessories.

Do not reuse the product after having poured from the original container.

The professional must inform the customer about the message contained in the precautions and about the possible allergic reactions. Use prohibited for children under 18 years.

Label information

Product Name

Composition (INCI Nomination)

Batch number

Expiration Date (hourglass symbol)

Shelf life after opening product

REFERENCES

ResAP (2008) 1

HSDB

U.S. Department of Health and Human Services - NTP

NIOSH - Registry of Toxic Effects of Chemicals Substances

SAX - Dangerous Properties of Industrial Materials

DEFINITIONS OF TERMS AND LABELS

On the MSDS sheet appears many abbreviations, acronyms and labels. Some of the most used are listed below:

| | | |
|-------------------------------------|---|--|
| CAS No. | Chemical Abstract Service Number | |
| EXPOSURE THRESHOLD IN AIR | | |
| ACGIH | American Conference Gov.Ind.Hygienists | |
| TLV | Threshold Limit Value | |
| OSHA | Occupation Safety Health Administration | |
| PEL | Permissible Exposure Limit | |
| IDLH | Immediately Dangerous Life and Health | |
| OTHER STANDARD ABBREVIATIONS | | |
| NA | Not Available | |
| NR | No Results | |
| NE | Not Established | |
| ND | Not Determinated | |
| ML | Maximum Limit | |

| | |
|----------------------------------|---|
| TOXICOLOGICAL INFORMATION | |
| LD 50 | Lethal dose (liquid) which kills 50% of exposed animals |
| LC 50 | Lethal concentration (gas) which kills 50% of exposed animals |
| ppm | Concentration expressed in parts per million |
| Tdlo | Lowest dose to cause a symptom |

| PERSONAL PROTECTION INDEX | | | |
|---------------------------|----------|----------|--|
| A | G | B | H |
| C | I | D | J |
| E | K | F | X Consult your supervisor or S.O.P. for "SPECIAL" handling directions |
| A | n | O | p |
| t | U | w | Y |
| z | r | s | Additional Information |

Pericoli di Tipo Fisico Chimico

| | | | | |
|------------------------|-----------------------------|---------------------------------|---------------------------|-----------|
| | | | | |
| Esplsoivo | Gas sotto pressione | Infiammabile | Ossidante | Corrosivo |
| Pericoli per la Salute | | | Pericoli per l'Ambiente | |
| | | | | |
| Tossico acuto | Gravi effetti per la salute | Effetti più lievi per la salute | Pericoloso per l'ambiente | |



Safety Data Sheet (SDS)

According to Commission Regulation (EU) 2020/2081 of 14 December 2020
amending Annex XVII to Regulation (EC) No 1907/2006 and REACH

VERSION 05 REVISION DATE 01.07.2022

BIOTEK srl Via R. Farneti 8 20129 Milano Italy P.I. 10911780152

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

| | |
|--------------|---|
| Trade name | BIOTEK |
| Product name | PARIS |
| Product code | E15-08 18ml / E5-08 7ml |
| Description | Mixture for use in tattoos or permanent make-up |
| Manufacturer | BIOTEK srl Milano Via R. Farneti 8 Italy P.I. 10911780152 |
| Contact | Phone +39.02.7380144 security@biotek.it |
| Product use | PMU exclusive professional use |
| Content | 18ml 0.61 fl.oz / 7ml 0.24 fl.oz |
| Emergency | Contact the local poison center US 1 (800) 222-1222 American Association Poison Control Center |

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Class

This product is basically considered non-hazardous as per EC Regulation n.1272/2008
Product without risk classification to health and the environment according to CLP Regulation (CE)
n.1272/2008.

Information applicable to the quantities normally used in accordance with the practice of the treatment and on the basis of tests performed.

Potential Health Effects, Signs and Symptoms of Exposure:

| | |
|------------|---|
| Eyes | In some sensitive individuals, symptoms may include mildly to moderately irritation, redness, itching and watering. |
| Ingestion | If product is swallowed may cause nausea, vomiting and/or diarrhea. |
| Inhalation | High concentration of vapors can cause drowsiness, dizziness, headaches and/or nausea. |
| Skin | In sensitive people can cause irritation or allergic reaction. |

SECTION 3 - COMPOSITION AND INGREDIENTS INFORMATION

Mixtures General Information

Concentrated dispersion of pigments in water solution of distilled water and glycerin.
The components of this product are not listed in Annex 3.1/ Regulation (CE) n.1272/2008 except
ETHANOL CAS 64-17-5 EINECS 200-578-6

| Chemical Identity | CAS number | INCI name | EU class % | FDA % | Exposure OSHA | Limits ACGIH | Classification Annex 3.1 Reg. (CE) 1272/2008 |
|----------------------------------|------------|------------------------------|------------|-------|---------------|--------------|--|
| <i>Liquid fraction (DILUENT)</i> | | | | | | | |
| Ethanol | 64-17-5 | Alcohol | 10% - 25% | C | 1000ppm* | 1000ppm | H225 (Flammable) |
| Glycerin | 56-81-5 | Glycerin | 10% - 25% | C | N/E | N/E | - |
| Distilled water | 7732-18-5 | Aqua | 10% - 25% | C | N/E | N/E | - |
| Propylene Glycol | 57-55-6 | Propylene Glycol | 1% - 5% | E | N/E | N/E | - |
| PVP | 9003-39-8 | PVP | P.F. | P.F. | N/E | N/E | - |
| Ricin Oil | 9083-41-4 | Ricin Oil | P.F. | P.F. | N/E | N/E | - |
| Aloe Barbadensis | 85507-69-3 | Aloe Barbadensis | P.F. | P.F. | N/E | N/E | - |
| Hamamelis Virginiana | 84696-19-5 | Hamamelis Virginiana | P.F. | P.F. | N/E | N/E | - |
| Polysorbate | 9005-64-5 | Polysorbate 20 | P.F. | P.F. | N/E | N/E | - |
| Magnesium Aluminium Silicate | 1327-43-1 | Magnesium Aluminium Silicate | P.F. | P.F. | N/E | N/E | - |

Solid fraction (PIGMENT)

| | | | | | | | |
|----------------------|------------|-------|------|------|-----|-----|---|
| Iron oxide black | 1317-61-9 | 77499 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide red | 1309-37-1 | 77491 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide yellow | 51274-00-1 | 77492 | P.F. | P.F. | N/E | N/E | - |
| Chromium oxide green | 1308-38-9 | 77288 | P.F. | P.F. | N/E | N/E | - |

N/E = NOT ESTABLISHED N/R = NOT REVIEWED

N/DA = NO DATA AVAILABLE N/A = NOT AVAILABLE P.F. = PROPRIETARY FORMULA

* Listed substance potentially hazardous as defined by OSHA Hazard Communication Standard (29 CFR 1910.1200) OSHA in suspension in a gas if inhaled in excess of 1000ppm.

Class % indicates the range of concentrations as per CPNP portal according to EC Regulation 1223/2009

% FDA indicates the range as per the "Guide for Cosmetic Notification Form" - FDA / Health Canada

The% are expressed according to the weight / volume ratio

FDA-codes: A1 = 75 – 100 % A2 = 50 – 75 % B = 25 – 50 % C = 10 – 25 % D = 5 – 10 % E = 1 – 5 % F = 0,1 – 1 % G = < 0,1

SECTION 4 - FIRST AID MEASURES

No injuries to the authorized personnel are known using the product. No self-protection is needed.

However, in case of need, you should take the following general measures and in the case of severe and not expected symptoms, consult a doctor.

First aid for Eye Flush with plenty of water for 15 minutes or use eyewash lotion. Seek medical attention.

First aid for Skin First aid is not normally required, however, it is good practice for exposed area to be cleaned with soap and water.

First aid for Inhalation Remove individual from the contact with substance and move to fresh air.

First aid for Ingestion Do not induce to vomiting. Flush mouth with water. Contact anti-poison centre. Seek medical advice.

SECTION 5 - FIRE FIGHTING MEASURE

Special hazards arising from the substance or mixture: none known or to be expected.

FLASH POINT
> 105° C

FLAMMABLE LIMIT
NO DATA

AUTO IGNITION
425° C

The point of auto-ignition is dependent only on the component of alcohol

| | |
|----------------------|--|
| Extinguishing Method | Use carbon dioxide (CO ₂) or dry chemical extinguisher or aqueous foam or water for large fires. |
| Instructions | Use self-breathing device and personal protection equipment. |
| Prohibited | None. |



SECTION 6 - ACCIDENTAL RELEASE MEASURE

No harm expected. Wear appropriate equipment/clothing during clean-up.

In case of fire, extinguish the sources of ignition or heat. Cover the spillage with absorbent material (eg vermiculite), collect most of the resulting mass and discard the remainder by spraying water.

If the product has escaped into a stream, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. For waste disposal see additionally section 13.

SECTION 7 - HANDLING AND STORAGE

Do not eat, drink and/or smoke during handling. Clean already opened packages after usage. Follow the mandatory shelf life of the products before and after opening. Wash hands prior to use and follow local hygiene measures. Store sealed containers in a cool, dry place away from light and heat. Avoid direct exposure to the sun. The containers and empty containers can contain product residue and must be managed properly. Place the containers in such a way that the labels are clearly visible.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

No special precaution must be adopted for normal use.

Follow the techniques of good personal hygiene. Do not eat, drink or smoke while using the product.

Precautionary measures Allow adequate ventilation to the premises where the product is stored and / or handled.

Eye /face Protection Use chemical splash goggles

Skin Protection Use protective gloves made of natural latex, neoprene, PVC vinyl or Nitrile.

Respiratory Protection Not needed for normal use

The exposure limit for ethanol content, if inhaled by air is:

ACGIH-TLV 1000 ppm - OSHA-PEL 1000 ppm - TLV TWA 1000 ppm - 983 mg/m³

Eye/face protection Wear safety goggles where there is risk of eye contact.

Skin protection Wear suitable gloves.

Respiratory protection Provide adequate ventilation.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------|---|
| Appearance | Creamy liquid |
| Odor | neutral to slightly alcoholic |
| Color | Brown |
| Ph | 4,5 - 7,5 |
| Solubility in water | Diluent soluble in water at 20 ° C - Pigment insoluble. |
| Flammability | Non flammable |

SECTION 10 - STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. We are not aware of specific conditions that may result in hazardous reactions. The product is non-reactive and does not polymerize. At temperatures above 100 ° C it causes the evaporation of the liquid component of the product. Incompatible substances are not identified. Do not allow the product to come into contact with acids, bases, oxidizing and reducing agents that can cause a dangerous reaction.

SECTION 11 - TOXICOLOGICAL INFORMATION

The product does not have any known toxic or comparable adverse effects on human health. Information on likely routes of exposure

| | |
|--------------|---|
| Ingestion | Ingestion may cause irritation and malaise. |
| Inhalation | Inhalation may irritate respiratory system. |
| Skin contact | No adverse effects known or expected. |
| Eye contact | Direct contact may irritate the eyes. |

SECTION 12 - ECOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Environmental stability | Use according to good working practices, avoiding disposal in the environment. Inform the relevant authorities if the product in large quantities, has reach waterways or sewers, and if it has contaminated soil or vegetation. |
| Effects on plants and animals | Not available. |
| Effects on aquatic life | Not available. |

SECTION 13 - DISPOSAL CONSIDERATION

This product is not identified as a hazardous waste under RCRA 40 CFR 261, and is not regulated by CERCLA (Superfund). Dispose of residual waste should be in accordance with local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

IMGD (maritime): not hazardous material
ADR (road transport): not hazardous material
RID (transport by rail): not hazardous material
IATA Regulation (transport by air): Not hazardous material
Transport / Additional information: The product is not dangerous

SECTION 15 - REGULATORY INFORMATION

EC Directive 2020/2081 REACH and amendments
EC Directive 1907/2006
EU Regulation ResAp(2008)1 on requirements and criteria for the safety of tattoos and pmu
Tätowiermittelverordnung 13.11.2008
EC Directive 1272/2008/EC Classification, labeling and packaging of substances and mixtures
EC Regulation 453/2010
EC Directive 2008/128/CE Colors for use in foodstuffs
EC Regulation No 1223/2009 on Cosmetic Products
OSHA Hazard Communication Standard - non-hazardous under 29 CFR 1910.1200

SECTION 16 - OTHER INFORMATION

Carefully follow the directions and recommendations of the MSDS.

Store in a cool place. Keep the original packing. Keep out of the reach of children.

The information and recommendations contained in this safety data sheet are based on data and sources believed to be accurate, and report the most reasonable and correct at time of preparation of the sheet. However, we do not grant any express or implied warranty as to the accuracy of the data or results obtained from the use of this product.

This data sheet gives the most important parameters and safety standards commonly accepted and cannot be considered an exhaustive document on the risks.

The information is provided in good faith and it is your responsibility to evaluate the correct conditions of use and applicable safety and environmental protection.

The company assumes no responsibility for personal injury and damage to persons and / or property damage caused by the product.

Instruction for use

Carefully follow the instructions on the label. The product is for professional use only. Avoid any use not expected by the manufacturer. Proper professional title of qualification is required for use.

To be used in combination with sterile /disposable accessories.

Do not reuse the product after having poured from the original container.

The professional must inform the customer about the message contained in the precautions and about the possible allergic reactions. Use prohibited for children under 18 years.

Label information

Product Name

Composition (INCI Nomination)

Batch number

Expiration Date (hourglass symbol)

Shelf life after opening product

REFERENCES

ResAP (2008) 1

HSDB

U.S. Department of Health and Human Services - NTP


NIOSH - Registry of Toxic Effects of Chemicals Substances

SAX - Dangerous Properties of Industrial Materials

DEFINITIONS OF TERMS AND LABELS

On the MSDS sheet appears many abbreviations, acronyms and labels. Some of the most used are listed below:

| | |
|-------------------------------------|---|
| CAS No. | Chemical Abstract Service Number |
| EXPOSURE THRESHOLD IN AIR | |
| ACGIH | American Conference Gov.Ind.Hygienists |
| TLV | Threshold Limit Value |
| OSHA | Occupation Safety Health Administration |
| PEL | Permissible Exposure Limit |
| IDLH | Immediately Dangerous Life and Health |
| OTHER STANDARD ABBREVIATIONS | |
| NA | Not Available |
| NR | No Results |
| NE | Not Established |
| ND | Not Determinated |
| ML | Maximum Limit |



TOXICOLOGICAL INFORMATION

| | |
|--------------|---|
| LD 50 | Lethal dose (liquid) which kills 50% of exposed animals |
| LC 50 | Lethal concentration (gas) which kills 50% of exposed animals |
| ppm | Concentration expressed in parts per million |
| Tdlo | Lowest dose to cause a symptom |
| Tclo | Lowest concentration to cause a symptom |

| PERSONAL PROTECTION INDEX | | | |
|---------------------------|--|----------|---|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or S.O.P. for "SPECIAL" handling directions |
| A | | n | |
| o | | p | |
| q | | r | |
| s | | t | |
| u | | w | |
| y | | z | |

| Pericoli di Tipo Fisico Chimico | | | | |
|---------------------------------|-----------------------------|---------------------------------|---------------------------|-----------|
| | | | | |
| Esplsoivo | Gas sotto pressione | Infiammabile | Ossidante | Corrosivo |
| Pericoli per la Salute | | | Pericoli per l'Ambiente | |
| | | | | |
| Tossico acuto | Gravi effetti per la salute | Effetti più lievi per la salute | Pericoloso per l'ambiente | |



Safety Data Sheet (SDS)

According to Commission Regulation (EU) 2020/2081 of 14 December 2020
amending Annex XVII to Regulation (EC) No 1907/2006 and REACH

VERSION 05 REVISION DATE 01.07.2022

BIOTEK srl Via R. Farneti 8 20129 Milano Italy P.I. 10911780152

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

| | |
|--------------|---|
| Trade name | BIOTEK |
| Product name | MILAN |
| Product code | E15-11 18ml / E5-11 7ml |
| Description | Mixture for use in tattoos or permanent make-up |
| Manufacturer | BIOTEK srl Milano Via R. Farneti 8 Italy P.I. 10911780152 |
| Contact | Phone +39.02.7380144 security@biotek.it |
| Product use | PMU exclusive professional use |
| Content | 18ml 0.61 fl.oz / 7ml 0.24 fl.oz |
| Emergency | Contact the local poison center US 1 (800) 222-1222 American Association Poison Control Center |

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Class

This product is basically considered non-hazardous as per EC Regulation n.1272/2008
Product without risk classification to health and the environment according to CLP Regulation (CE)
n.1272/2008.

Information applicable to the quantities normally used in accordance with the practice of the treatment and on the basis of tests performed.

Potential Health Effects, Signs and Symptoms of Exposure:

| | |
|------------|---|
| Eyes | In some sensitive individuals, symptoms may include mildly to moderately irritation, redness, itching and watering. |
| Ingestion | If product is swallowed may cause nausea, vomiting and/or diarrhea. |
| Inhalation | High concentration of vapors can cause drowsiness, dizziness, headaches and/or nausea. |
| Skin | In sensitive people can cause irritation or allergic reaction. |

SECTION 3 - COMPOSITION AND INGREDIENTS INFORMATION

Mixtures General Information

Concentrated dispersion of pigments in water solution of distilled water and glycerin.
The components of this product are not listed in Annex 3.1/ Regulation (CE) n.1272/2008 except
ETHANOL CAS 64-17-5 EINECS 200-578-6

| Chemical Identity | CAS number | INCI name | EU class % | FDA % | Exposure OSHA | Limits ACGIH | Classification Annex 3.1 Reg. (CE) 1272/2008 |
|----------------------------------|------------|------------------------------|------------|-------|---------------|--------------|--|
| <i>Liquid fraction (DILUENT)</i> | | | | | | | |
| Ethanol | 64-17-5 | Alcohol | 10% - 25% | C | 1000ppm* | 1000ppm | H225 (Flammable) |
| Glycerin | 56-81-5 | Glycerin | 10% - 25% | C | N/E | N/E | - |
| Distilled water | 7732-18-5 | Aqua | 10% - 25% | C | N/E | N/E | - |
| Propylene Glycol | 57-55-6 | Propylene Glycol | 1% - 5% | E | N/E | N/E | - |
| PVP | 9003-39-8 | PVP | P.F. | P.F. | N/E | N/E | - |
| Ricin Oil | 9083-41-4 | Ricin Oil | P.F. | P.F. | N/E | N/E | - |
| Aloe Barbadensis | 85507-69-3 | Aloe Barbadensis | P.F. | P.F. | N/E | N/E | - |
| Hamamelis Virginiana | 84696-19-5 | Hamamelis Virginiana | P.F. | P.F. | N/E | N/E | - |
| Polysorbate | 9005-64-5 | Polysorbate 20 | P.F. | P.F. | N/E | N/E | - |
| Magnesium Aluminium Silicate | 1327-43-1 | Magnesium Aluminium Silicate | P.F. | P.F. | N/E | N/E | - |
| <i>Solid fraction (PIGMENT)</i> | | | | | | | |
| Iron oxide black | 1317-61-9 | 77499 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide red | 1309-37-1 | 77491 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide | 51274-00-1 | 77492 | P.F. | P.F. | N/E | N/E | - |

N/E = NOT ESTABLISHED
N/R = NOT REVIEWED
N/DA = NO DATA AVAILABLE
N/A = NOT AVAILABLE
P.F. = PROPRIETARY FORMULA

* Listed substance potentially hazardous as defined by OSHA Hazard Communication Standard (29 CFR 1910.1200) OSHA in suspension in a gas if inhaled in excess of 1000ppm.

Class % indicates the range of concentrations as per CPNP portal according to EC Regulation 1223/2009

% FDA indicates the range as per the "Guide for Cosmetic Notification Form" - FDA / Health Canada

The% are expressed according to the weight / volume ratio

FDA-codes:

A1 = 75 – 100 % A2 = 50 – 75 % B = 25 – 50 % C = 10 – 25 % D = 5 – 10 % E = 1 – 5 % F = 0,1 – 1 % G = < 0,1

SECTION 4 - FIRST AID MEASURES

No injuries to the authorized personnel are known using the product. No self-protection is needed.

However, in case of need, you should take the following general measures and in the case of severe and not expected symptoms, consult a doctor.

First aid for Eye Flush with plenty of water for 15 minutes or use eyewash lotion. Seek medical attention.

First aid for Skin First aid is not normally required, however, it is good practice for exposed area to be cleaned with soap and water.


First aid for Inhalation Remove individual from the contact with substance and move to fresh air.

First aid for Ingestion Do not induce to vomiting. Flush mouth with water. Contact anti-poison centre. Seek medical advice.



SECTION 5 - FIRE FIGHTING MEASURE

Special hazards arising from the substance or mixture: none known or to be expected.

| FLASH POINT | FLAMMABLE LIMIT | AUTO IGNITION |
|--|--|---|
| > 105° C | NO DATA | 425° C |
| The point of auto-ignition is dependent only on the component of alcohol | | |
| Extinguishing Method | Use carbon dioxide (CO ₂) or dry chemical extinguisher or aqueous foam or water for large fires. |  |
| Instructions | Use self-breathing device and personal protection equipment. | |
| Prohibited | None. | |

SECTION 6 - ACCIDENTAL RELEASE MEASURE

No harm expected. Wear appropriate equipment/clothing during clean-up.

In case of fire, extinguish the sources of ignition or heat. Cover the spillage with absorbent material (eg vermiculite), collect most of the resulting mass and discard the remainder by spraying water.

If the product has escaped into a stream, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. For waste disposal see additionally section 13.

SECTION 7 - HANDLING AND STORAGE

Do not eat, drink and/or smoke during handling. Clean already opened packages after usage. Follow the mandatory shelf life of the products before and after opening. Wash hands prior to use and follow local hygiene measures. Store sealed containers in a cool, dry place away from light and heat. Avoid direct exposure to the sun. The containers and empty containers can contain product residue and must be managed properly. Place the containers in such a way that the labels are clearly visible.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

No special precaution must be adopted for normal use.

Follow the techniques of good personal hygiene. Do not eat, drink or smoke while using the product.

Precautionary measures Allow adequate ventilation to the premises where the product is stored and / or handled.

Eye /face Protection Use chemical splash goggles

Skin Protection Use protective gloves made of natural latex, neoprene, PVC vinyl or Nitrile.

Respiratory Protection Not needed for normal use

The exposure limit for ethanol content, if inhaled by air is:

ACGIH-TLV 1000 ppm - OSHA-PEL 1000 ppm - TLV TWA 1000 ppm - 983 mg/m³

Eye/face protection Wear safety goggles where there is risk of eye contact.

Skin protection Wear suitable gloves.

Respiratory protection Provide adequate ventilation.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------|---|
| Appearance | Creamy liquid |
| Odor | Neutral to slightly alcoholic |
| Color | Brown |
| Ph | 4,5 - 7,5 |
| Solubility in water | Diluent soluble in water at 20 ° C - Pigment insoluble. |
| Flammability | Non flammable |

SECTION 10 - STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. We are not aware of specific conditions that may result in hazardous reactions. The product is non-reactive and does not polymerize. At temperatures above 100 ° C it causes the evaporation of the liquid component of the product. Incompatible substances are not identified. Do not allow the product to come into contact with acids, bases, oxidizing and reducing agents that can cause a dangerous reaction.

SECTION 11 - TOXICOLOGICAL INFORMATION

The product does not have any known toxic or comparable adverse effects on human health.

Information on likely routes of exposure

| | |
|--------------|---|
| Ingestion | Ingestion may cause irritation and malaise. |
| Inhalation | Inhalation may irritate respiratory system. |
| Skin contact | No adverse effects known or expected. |
| Eye contact | Direct contact may irritate the eyes. |

SECTION 12 - ECOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Environmental stability | Use according to good working practices, avoiding disposal in the environment. Inform the relevant authorities if the product in large quantities, has reach waterways or sewers, and if it has contaminated soil or vegetation. |
| Effects on plants and animals | Not available. |
| Effects on aquatic life | Not available. |

SECTION 13 - DISPOSAL CONSIDERATION

This product is not identified as a hazardous waste under RCRA 40 CFR 261, and is not regulated by CERCLA (Superfund). Dispose of residual waste should be in accordance with local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

IMGD (maritime): not hazardous material
ADR (road transport): not hazardous material
RID (transport by rail): not hazardous material
IATA Regulation (transport by air): Not hazardous material
Transport / Additional information: The product is not dangerous

SECTION 15 - REGULATORY INFORMATION

EC Directive 2020/2081 REACH and amendments
EC Directive 1907/2006
EU Regulation ResAp(2008)1 on requirements and criteria for the safety of tattoos and pmu
Tätowiermittelverordnung 13.11.2008
EC Directive 1272/2008/EC Classification, labeling and packaging of substances and mixtures
EC Regulation 453/2010
EC Directive 2008/128/CE Colors for use in foodstuffs
EC Regulation No 1223/2009 on Cosmetic Products
OSHA Hazard Communication Standard - non-hazardous under 29 CFR 1910.1200

SECTION 16 - OTHER INFORMATION

Carefully follow the directions and recommendations of the MSDS.

Store in a cool place. Keep the original packing. Keep out of the reach of children.

The information and recommendations contained in this safety data sheet are based on data and sources believed to be accurate, and report the most reasonable and correct at time of preparation of the sheet. However, we do not grant any express or implied warranty as to the accuracy of the data or results obtained from the use of this product.

This data sheet gives the most important parameters and safety standards commonly accepted and cannot be considered an exhaustive document on the risks.

The information is provided in good faith and it is your responsibility to evaluate the correct conditions of use and applicable safety and environmental protection.

The company assumes no responsibility for personal injury and damage to persons and / or property damage caused by the product.

Instruction for use

Carefully follow the instructions on the label. The product is for professional use only. Avoid any use not expected by the manufacturer. Proper professional title of qualification is required for use.

To be used in combination with sterile /disposable accessories.

Do not reuse the product after having poured from the original container.

The professional must inform the customer about the message contained in the precautions and about the possible allergic reactions. Use prohibited for children under 18 years.

Label information

Product Name

Composition (INCI Nomination)

Batch number

Expiration Date (hourglass symbol)

Shelf life after opening product

REFERENCES

ResAP (2008) 1

HSDB

U.S. Department of Health and Human Services - NTP


NIOSH - Registry of Toxic Effects of Chemicals Substances

SAX - Dangerous Properties of Industrial Materials

DEFINITIONS OF TERMS AND LABELS

On the MSDS sheet appears many abbreviations, acronyms and labels. Some of the most used are listed below:

| | |
|-------------------------------------|---|
| CAS No. | Chemical Abstract Service Number |
| EXPOSURE THRESHOLD IN AIR | |
| ACGIH | American Conference Gov.Ind.Hygienists |
| TLV | Threshold Limit Value |
| OSHA | Occupation Safety Health Administration |
| PEL | Permissible Exposure Limit |
| IDLH | Immediately Dangerous Life and Health |
| OTHER STANDARD ABBREVIATIONS | |
| NA | Not Available |
| NR | No Results |
| NE | Not Established |
| ND | Not Determinated |
| ML | Maximum Limit |



| | |
|----------------------------------|---|
| TOXICOLOGICAL INFORMATION | |
| LD 50 | Lethal dose (liquid) which kills 50% of exposed animals |
| LC 50 | Lethal concentration (gas) which kills 50% of exposed animals |
| ppm | Concentration expressed in parts per million |
| Tdlo | Lowest dose to cause a symptom |
| Tclo | Lowest concentration to cause a symptom |

| PERSONAL PROTECTION INDEX | | | |
|---------------------------|--|----------|---|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or S.O.P. for 'SPECIAL' handling directions |
| A | | n | |
| t | | o | |
| u | | p | |
| w | | q | |
| y | | r | |
| z | | s | |

| Pericoli di Tipo Fisico Chimico | | | | |
|---------------------------------|-----------------------------|---------------------------------|---------------------------|-----------|
| | | | | |
| Esplosivo | Gas sotto pressione | Infiammabile | Ossidante | Corrosivo |
| Pericoli per la Salute | | | Pericoli per l'Ambiente | |
| | | | | |
| Tossico acuto | Gravi effetti per la salute | Effetti più lievi per la salute | Pericoloso per l'ambiente | |



Safety Data Sheet (SDS)

According to Commission Regulation (EU) 2020/2081 of 14 December 2020
amending Annex XVII to Regulation (EC) No 1907/2006 and REACH

VERSION 05 REVISION DATE 01.07.2022

BIOTEK srl Via R. Farneti 8 20129 Milano Italy P.I. 10911780152

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

| | |
|--------------|---|
| Trade name | BIOTEK |
| Product name | VENICE |
| Product code | E15-14 18ml / E5-14 7ml |
| Description | Mixture for use in tattoos or permanent make-up |
| Manufacturer | BIOTEK srl Milano Via R. Farneti 8 Italy P.I. 10911780152 |
| Contact | Phone +39.02.7380144 security@biotek.it |
| Product use | PMU exclusive professional use |
| Content | 18ml 0.61 fl.oz / 7ml 0.24 fl.oz |
| Emergency | Contact the local poison center US 1 (800) 222-1222 American Association Poison Control Center |

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Class

This product is basically considered non-hazardous as per EC Regulation n.1272/2008
Product without risk classification to health and the environment according to CLP Regulation (CE)
n.1272/2008.

Information applicable to the quantities normally used in accordance with the practice of the treatment and on the basis of tests performed.

Potential Health Effects, Signs and Symptoms of Exposure:

| | |
|------------|---|
| Eyes | In some sensitive individuals, symptoms may include mildly to moderately irritation, redness, itching and watering. |
| Ingestion | If product is swallowed may cause nausea, vomiting and/or diarrhea. |
| Inhalation | High concentration of vapors can cause drowsiness, dizziness, headaches and/or nausea. |
| Skin | In sensitive people can cause irritation or allergic reaction. |

SECTION 3 - COMPOSITION AND INGREDIENTS INFORMATION

Mixtures General Information

Concentrated dispersion of pigments in water solution of distilled water and glycerin.
The components of this product are not listed in Annex 3.1/ Regulation (CE) n.1272/2008 except
ETHANOL CAS 64-17-5 EINECS 200-578-6

| Chemical Identity | CAS number | INCI name | EU class % | FDA % | Exposure OSHA | Limits ACGIH | Classification Annex 3.1 Reg. (CE) 1272/2008 |
|----------------------------------|------------|------------------------------|------------|-------|---------------|--------------|--|
| <i>Liquid fraction (DILUENT)</i> | | | | | | | |
| Glycerin | 56-81-5 | Glycerin | 10% - 25% | C | N/E | N/E | - |
| Ethanol | 64-17-5 | Alcohol | 10% - 25% | C | 1000ppm* | 1000ppm | H225 (Flammable) |
| Distilled water | 7732-18-5 | Aqua | 10% - 25% | C | N/E | N/E | - |
| Propylene Glycol | 57-55-6 | Propylene Glycol | 1% - 5% | E | N/E | N/E | - |
| PVP | 9003-39-8 | PVP | P.F. | P.F. | N/E | N/E | - |
| Ricin Oil | 9083-41-4 | Ricin Oil | P.F. | P.F. | N/E | N/E | - |
| Aloe Barbadensis | 85507-69-3 | Aloe Barbadensis | P.F. | P.F. | N/E | N/E | - |
| Hamamelis Virginiana | 84696-19-5 | Hamamelis Virginiana | P.F. | P.F. | N/E | N/E | - |
| Polysorbate | 9005-64-5 | Polysorbate 20 | P.F. | P.F. | N/E | N/E | - |
| Magnesium Aluminium Silicate | 1327-43-1 | Magnesium Aluminium Silicate | P.F. | P.F. | N/E | N/E | - |
| <i>Solid fraction (PIGMENT)</i> | | | | | | | |
| Iron oxide black | 1317-61-9 | 77499 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide red | 1309-37-1 | 77491 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide | 51274-00-1 | 77492 | P.F. | P.F. | N/E | N/E | - |

N/E = NOT ESTABLISHED
N/R = NOT REVIEWED
N/DA = NO DATA AVAILABLE
N/A = NOT AVAILABLE
P.F. = PROPRIETARY FORMULA

* Listed substance potentially hazardous as defined by OSHA Hazard Communication Standard (29 CFR 1910.1200) OSHA in suspension in a gas if inhaled in excess of 1000ppm.

Class % indicates the range of concentrations as per CPNP portal according to EC Regulation 1223/2009

% FDA indicates the range as per the "Guide for Cosmetic Notification Form" - FDA / Health Canada

The% are expressed according to the weight / volume ratio

FDA-codes: A1 = 75 – 100 % A2 = 50 – 75 % B = 25 – 50 % C = 10 – 25 % D = 5 – 10 % E = 1 – 5 % F = 0,1 – 1 % G = < 0,1

SECTION 4 - FIRST AID MEASURES

No injuries to the authorized personnel are known using the product. No self-protection is needed. However, in case of need, you should take the following general measures and in the case of severe and not expected symptoms, consult a doctor.

First aid for Eye Flush with plenty of water for 15 minutes or use eyewash lotion. Seek medical attention.

First aid for Skin First aid is not normally required, however, it is good practice for exposed area to be cleaned with soap and water.

First aid for Inhalation Remove individual from the contact with substance and move to fresh air.

First aid for Ingestion Do not induce to vomiting. Flush mouth with water. Contact anti-poison centre. Seek medical advice.


SECTION 5 - FIRE FIGHTING MEASURE

Special hazards arising from the substance or mixture: none known or to be expected.

| | | |
|-------------|-----------------|---------------|
| FLASH POINT | FLAMMABLE LIMIT | AUTO IGNITION |
| > 105° C | NO DATA | 425° C |

The point of auto-ignition is dependent only on the component of alcohol

| | |
|----------------------|--|
| Extinguishing Method | Use carbon dioxide (CO ₂) or dry chemical extinguisher or aqueous foam or water for large fires. |
| Instructions | Use self-breathing device and personal protection equipment. |
| Prohibited | None. |



SECTION 6 - ACCIDENTAL RELEASE MEASURE

No harm expected. Wear appropriate equipment/clothing during clean-up.

In case of fire, extinguish the sources of ignition or heat. Cover the spillage with absorbent material (eg vermiculite), collect most of the resulting mass and discard the remainder by spraying water.

If the product has escaped into a stream, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. For waste disposal see additionally section 13.

SECTION 7 - HANDLING AND STORAGE

Do not eat, drink and/or smoke during handling. Clean already opened packages after usage. Follow the mandatory shelf life of the products before and after opening. Wash hands prior to use and follow local hygiene measures. Store sealed containers in a cool, dry place away from light and heat. Avoid direct exposure to the sun. The containers and empty containers can contain product residue and must be managed properly. Place the containers in such a way that the labels are clearly visible.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

No special precaution must be adopted for normal use.

Follow the techniques of good personal hygiene. Do not eat, drink or smoke while using the product.

Precautionary measures Allow adequate ventilation to the premises where the product is stored and / or handled.

Eye /face Protection Use chemical splash goggles

Skin Protection Use protective gloves made of natural latex, neoprene, PVC vinyl or Nitrile.

Respiratory Protection Not needed for normal use

The exposure limit for ethanol content, if inhaled by air is:

ACGIH-TLV 1000 ppm - OSHA-PEL 1000 ppm - TLV TWA 1000 ppm - 983 mg/m³

Eye/face protection Wear safety goggles where there is risk of eye contact.

Skin protection Wear suitable gloves.

Respiratory protection Provide adequate ventilation.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------|---|
| Appearance | Creamy liquid |
| Odor | Neutral to slightly alcoholic |
| Color | Brown |
| Ph | 4,5 - 7,5 |
| Solubility in water | Diluent soluble in water at 20 ° C - Pigment insoluble. |
| Flammability | Non flammable |

SECTION 10 - STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. We are not aware of specific conditions that may result in hazardous reactions. The product is non-reactive and does not polymerize. At temperatures above 100 ° C it causes the evaporation of the liquid component of the product. Incompatible substances are not identified. Do not allow the product to come into contact with acids, bases, oxidizing and reducing agents that can cause a dangerous reaction.

SECTION 11 - TOXICOLOGICAL INFORMATION

The product does not have any known toxic or comparable adverse effects on human health. Information on likely routes of exposure

| | |
|--------------|---|
| Ingestion | Ingestion may cause irritation and malaise. |
| Inhalation | Inhalation may irritate respiratory system. |
| Skin contact | No adverse effects known or expected. |
| Eye contact | Direct contact may irritate the eyes. |

SECTION 12 - ECOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Environmental stability | Use according to good working practices, avoiding disposal in the environment. Inform the relevant authorities if the product in large quantities, has reach waterways or sewers, and if it has contaminated soil or vegetation. |
| Effects on plants and animals | Not available. |
| Effects on aquatic life | Not available. |

SECTION 13 - DISPOSAL CONSIDERATION

This product is not identified as a hazardous waste under RCRA 40 CFR 261, and is not regulated by CERCLA (Superfund). Dispose of residual waste should be in accordance with local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

IMGD (maritime): not hazardous material
ADR (road transport): not hazardous material
RID (transport by rail): not hazardous material
IATA Regulation (transport by air): Not hazardous material
Transport / Additional information: The product is not dangerous

SECTION 15 - REGULATORY INFORMATION

EC Directive 2020/2081 REACH and amendments
EC Directive 1907/2006
EU Regulation ResAp(2008)1 on requirements and criteria for the safety of tattoos and pmu
Tätowiermittelverordnung 13.11.2008
EC Directive 1272/2008/EC Classification, labeling and packaging of substances and mixtures
EC Regulation 453/2010
EC Directive 2008/128/CE Colors for use in foodstuffs
EC Regulation No 1223/2009 on Cosmetic Products
OSHA Hazard Communication Standard - non-hazardous under 29 CFR 1910.1200

SECTION 16 - OTHER INFORMATION

Carefully follow the directions and recommendations of the MSDS.

Store in a cool place. Keep the original packing. Keep out of the reach of children.

The information and recommendations contained in this safety data sheet are based on data and sources believed to be accurate, and report the most reasonable and correct at time of preparation of the sheet. However, we do not grant any express or implied warranty as to the accuracy of the data or results obtained from the use of this product.

This data sheet gives the most important parameters and safety standards commonly accepted and cannot be considered an exhaustive document on the risks.

The information is provided in good faith and it is your responsibility to evaluate the correct conditions of use and applicable safety and environmental protection.

The company assumes no responsibility for personal injury and damage to persons and / or property damage caused by the product.

Instruction for use

Carefully follow the instructions on the label. The product is for professional use only. Avoid any use not expected by the manufacturer. Proper professional title of qualification is required for use.

To be used in combination with sterile /disposable accessories.

Do not reuse the product after having poured from the original container.

The professional must inform the customer about the message contained in the precautions and about the possible allergic reactions. Use prohibited for children under 18 years.

Label information

Product Name

Composition (INCI Nomination)

Batch number

Expiration Date (hourglass symbol)

Shelf life after opening product

REFERENCES

ResAP (2008) 1

HSDB

U.S. Department of Health and Human Services - NTP


NIOSH - Registry of Toxic Effects of Chemicals Substances

SAX - Dangerous Properties of Industrial Materials

DEFINITIONS OF TERMS AND LABELS

On the MSDS sheet appears many abbreviations, acronyms and labels. Some of the most used are listed below:

| | |
|-------------------------------------|---|
| CAS No. | Chemical Abstract Service Number |
| EXPOSURE THRESHOLD IN AIR | |
| ACGIH | American Conference Gov.Ind.Hygienists |
| TLV | Threshold Limit Value |
| OSHA | Occupation Safety Health Administration |
| PEL | Permissible Exposure Limit |
| IDLH | Immediately Dangerous Life and Health |
| OTHER STANDARD ABBREVIATIONS | |
| NA | Not Available |
| NR | No Results |
| NE | Not Established |
| ND | Not Determinated |
| ML | Maximum Limit |



| | |
|----------------------------------|---|
| TOXICOLOGICAL INFORMATION | |
| LD 50 | Lethal dose (liquid) which kills 50% of exposed animals |
| LC 50 | Lethal concentration (gas) which kills 50% of exposed animals |
| ppm | Concentration expressed in parts per million |
| Tdlo | Lowest dose to cause a symptom |
| Tclo | Lowest concentration to cause a symptom |

| PERSONAL PROTECTION INDEX | | | |
|---------------------------|--|----------|---|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or S.O.P. for 'SPECIAL' handling directions |
| A | | n | |
| t | | o | |
| u | | p | |
| w | | q | |
| y | | r | |
| z | | s | |

| Pericoli di Tipo Fisico Chimico | | | | |
|---------------------------------|-----------------------------|---------------------------------|---------------------------|-----------|
| | | | | |
| Esplosivo | Gas sotto pressione | Infiammabile | Ossidante | Corrosivo |
| Pericoli per la Salute | | | Pericoli per l'Ambiente | |
| | | | | |
| Tossico acuto | Gravi effetti per la salute | Effetti più lievi per la salute | Pericoloso per l'ambiente | |



Safety Data Sheet (SDS)

According to Commission Regulation (EU) 2020/2081 of 14 December 2020
amending Annex XVII to Regulation (EC) No 1907/2006 and REACH

VERSION 05 REVISION DATE 03.10.2022

BIOTEK srl Via R. Farneti 8 20129 Milano Italy P.I. 10911780152

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

| | |
|--------------|---|
| Trade name | BIOTEK |
| Product name | MOSCOW MULE |
| Product code | E15-61 18ml / E5-61 7ml |
| Description | Mixture for use in tattoos or permanent make-up |
| Manufacturer | BIOTEK srl Milano Via R. Farneti 8 Italy P.I. 10911780152 |
| Contact | Phone +39.02.7380144 security@biotek.it |
| Product use | PMU exclusive professional use |
| Content | 18ml 0.61 fl.oz / 7ml 0.24 fl.oz |
| Emergency | Contact the local poison center US 1 (800) 222-1222 American Association Poison Control Center |

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Class

This product is basically considered non-hazardous as per EC Regulation n.1272/2008
Product without risk classification to health and the environment according to CLP Regulation (CE)
n.1272/2008.

Information applicable to the quantities normally used in accordance with the practice of the treatment and on the basis of tests performed.

Potential Health Effects, Signs and Symptoms of Exposure:

| | |
|------------|---|
| Eyes | In some sensitive individuals, symptoms may include mildly to moderately irritation, redness, itching and watering. |
| Ingestion | If product is swallowed may cause nausea, vomiting and/or diarrhea. |
| Inhalation | High concentration of vapors can cause drowsiness, dizziness, headaches and/or nausea. |
| Skin | In sensitive people can cause irritation or allergic reaction. |

SECTION 3 - COMPOSITION AND INGREDIENTS INFORMATION

Mixtures General Information

Concentrated dispersion of pigments in water solution of distilled water and glycerin.
The components of this product are not listed in Annex 3.1/ Regulation (CE) n.1272/2008 except
ETHANOL CAS 64-17-5 EINECS 200-578-6

| Chemical Identity | CAS number | INCI name | EU class % | FDA % | Exposure OSHA | Limits ACGIH | Classification Annex 3.1 Reg. (CE) 1272/2008 |
|----------------------------------|------------|-----------|------------|-------|---------------|--------------|--|
| <i>Liquid fraction (DILUENT)</i> | | | | | | | |
| Ethanol | 64-17-5 | Alcohol | 25% - 50% | B | 1000ppm* | 1000ppm | H225 (Flammable) |
| Distilled water | 7732-18-5 | Aqua | 10% - 25% | C | N/E | N/E | - |
| Glycerin | 56-81-5 | Glycerin | 5% - 10% | D | N/E | N/E | - |
| <i>Solid fraction (PIGMENT)</i> | | | | | | | |
| Iron oxide black | 1317-61-9 | 77499 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide red | 1309-37-1 | 77491 | P.F. | P.F. | N/E | N/E | - |
| Iron oxide yellow | 51274-00-1 | 77492 | P.F. | P.F. | N/E | N/E | - |

N/E = NOT ESTABLISHED N/R = NOT REVIEWED N/DA = NO DATA AVAILABLE N/A = NOT AVAILABLE
P.F. = PROPRIETARY FORMULA

* Listed substance potentially hazardous as defined by OSHA Hazard Communication Standard (29 CFR 1910.1200) OSHA in suspension in a gas if inhaled in excess of 1000ppm.

Class % indicates the range of concentrations as per CPNP portal according to EC Regulation 1223/2009

% FDA indicates the range as per the "Guide for Cosmetic Notification Form" - FDA / Health Canada

The% are expressed according to the weight / volume ratio

FDA-codes:

A1 = 75 – 100 % A2 = 50 – 75 % B = 25 – 50 % C = 10 – 25 % D = 5 – 10 % E = 1 – 5 % F = 0,1 – 1 % G = < 0,1

SECTION 4 - FIRST AID MEASURES

No injuries to the authorized personnel are known using the product. No self-protection is needed.

However, in case of need, you should take the following general measures and in the case of severe and not expected symptoms, consult a doctor.

First aid for Eye Flush with plenty of water for 15 minutes or use eyewash lotion. Seek medical attention.

First aid for Skin First aid is not normally required, however, it is good practice for exposed area to be cleaned with soap and water.

First aid for Inhalation Remove individual from the contact with substance and move to fresh air.

First aid for Ingestion Do not induce to vomiting. Flush mouth with water. Contact anti-poison centre. Seek medical advice.

SECTION 5 - FIRE FIGHTING MEASURE

Special hazards arising from the substance or mixture: none known or to be expected.

FLASH POINT

> 105° C

FLAMMABLE LIMIT


NO DATA

AUTO IGNITION

425° C

The point of auto-ignition is dependent only on the component of alcohol

| | |
|----------------------|--|
| Extinguishing Method | Use carbon dioxide (CO ₂) or dry chemical extinguisher or aqueous foam or water for large fires. |
| Instructions | Use self-breathing device and personal protection equipment. |
| Prohibited | None. |



SECTION 6 - ACCIDENTAL RELEASE MEASURE

No harm expected. Wear appropriate equipment/clothing during clean-up.

In case of fire, extinguish the sources of ignition or heat. Cover the spillage with absorbent material (eg vermiculite), collect most of the resulting mass and discard the remainder by spraying water.

If the product has escaped into a stream, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. For waste disposal see additionally section 13.

SECTION 7 - HANDLING AND STORAGE

Do not eat, drink and/or smoke during handling. Clean already opened packages after usage. Follow the mandatory shelf life of the products before and after opening. Wash hands prior to use and follow local hygiene measures. Store sealed containers in a cool, dry place away from light and heat. Avoid direct exposure to the sun. The containers and empty containers can contain product residue and must be managed properly. Place the containers in such a way that the labels are clearly visible.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

No special precaution must be adopted for normal use.

Follow the techniques of good personal hygiene. Do not eat, drink or smoke while using the product.

Precautionary measures Allow adequate ventilation to the premises where the product is stored and / or handled.

Eye /face Protection Use chemical splash goggles

Skin Protection Use protective gloves made of natural latex, neoprene, PVC vinyl or Nitrile.

Respiratory Protection Not needed for normal use

exposure limit for ethanol content, if inhaled by air is:

ACGIH-TLV 1000 ppm - OSHA-PEL 1000 ppm - TLV TWA 1000 ppm - 983 mg/m³

Eye/face protection Wear safety goggles where there is risk of eye contact.

Skin protection Wear suitable gloves.

Respiratory protection Provide adequate ventilation.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance Creamy liquid

Odor Neutral to slightly alcoholic

Color Brown

Ph 4,5 - 7,5

Solubility in water Diluent soluble in water at 20 ° C - Pigment insoluble.

Flammability Non flammable

SECTION 10 - STABILITY AND REACTIVITY

The product is stable in normal conditions of use and storage. We are not aware of specific conditions that may result in hazardous reactions. The product is non-reactive and does not polymerize. At temperatures above 100 ° C it causes the evaporation of the liquid component of the product Incompatible substances are not identified. Do not allow the product to come into contact with acids, bases, oxidizing and reducing agents that can cause a dangerous reaction.

SECTION 11 - TOXICOLOGICAL INFORMATION

The product does not have any known toxic or comparable adverse effects on human health.

Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.

Inhalation Inhalation may irritate respiratory system.

Skin contact No adverse effects known or expected.

Eye contact Direct contact may irritate the eyes.

SECTION 12 - ECOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Environmental stability | Use according to good working practices, avoiding disposal in the environment. Inform the relevant authorities if the product in large quantities, has reach waterways or sewers, and if it has contaminated soil or vegetation. |
| Effects on plants and animals | Not available. |
| Effects on aquatic life | Not available. |

SECTION 13 - DISPOSAL CONSIDERATION

This product is not identified as a hazardous waste under RCRA 40 CFR 261, and is not regulated by CERCLA (Superfund). Dispose of residual waste should be in accordance with local regulations.

SECTION 14 - TRASPORTATION INFORMATION

IMGD (maritime): not hazardous material
ADR (road transport): not hazardous material
RID (transport by rail): not hazardous material
IATA Regulation (transport by air): Not hazardous material
Transport / Additional information: The product is not dangerous

SECTION 15 - REGULATORY INFORMATION

EC Directive 2020/2081 REACH and amendments
EC Directive 1907/2006
EU Regulation ResAp(2008)1 on requirements and criteria for the safety of tattoos and pmu
Tätowiermittelverordnung 13.11.2008
EC Directive 1272/2008/EC Classification, labeling and packaging of substances and mixtures
EC Regulation 453/2010
EC Directive 2008/128/CE Colors for use in foodstuffs
EC Regulation No 1223/2009 on Cosmetic Products
OSHA Hazard Communication Standard - non-hazardous under 29 CFR 1910.1200

SECTION 16 - OTHER INFORMATION

Carefully follow the directions and recommendations of the MSDS.

Store in a cool place. Keep the original packing. Keep out of the reach of children.

The information and recommendations contained in this safety data sheet are based on data and sources believed to be accurate, and report the most reasonable and correct at time of preparation of the sheet. However, we do not grant any express or implied warranty as to the accuracy of the data or results obtained from the use of this product.

This data sheet gives the most important parameters and safety standards commonly accepted and cannot be considered an exhaustive document on the risks.

The information is provided in good faith and it is your responsibility to evaluate the correct conditions of use and applicable safety and environmental protection.

The company assumes no responsibility for personal injury and damage to persons and / or property damage caused by the product.

Instruction for use

Carefully follow the instructions on the label. The product is for professional use only. Avoid any use not expected by the manufacturer. Proper professional title of qualification is required for use.

To be used in combination with sterile /disposable accessories.

Do not reuse the product after having poured from the original container.

The professional must inform the customer about the message contained in the precautions and about the possible allergic reactions. Use prohibited for children under 18 years.

Label information

Product Name

Composition (INCI Nomination)

Batch number

Expiration Date (hourglass symbol)

Shelf life after opening product

REFERENCES

ResAP (2008) 1

HSDB

U.S. Department of Health and Human Services - NTP

NIOSH - Registry of Toxic Effects of Chemicals Substances

SAX - Dangerous Properties of Industrial Materials

DEFINITIONS OF TERMS AND LABELS

On the MSDS sheet appears many abbreviations, acronyms and labels. Some of the most used are listed below:

| | | |
|-------------------------------------|---|--|
| CAS No. | Chemical Abstract Service Number | |
| EXPOSURE THRESHOLD IN AIR | | |
| ACGIH | American Conference Gov.Ind.Hygienists | |
| TLV | Threshold Limit Value | |
| OSHA | Occupation Safety Health Administration | |
| PEL | Permissible Exposure Limit | |
| IDLH | Immediately Dangerous Life and Health | |
| OTHER STANDARD ABBREVIATIONS | | |
| NA | Not Available | |
| NR | No Results | |
| NE | Not Established | |
| ND | Not Determinated | |
| ML | Maximum Limit | |

TOXICOLOGICAL INFORMATION

| | |
|--------------|---|
| LD 50 | Lethal dose (liquid) which kills 50% of exposed animals |
| LC 50 | Lethal concentration (gas) which kills 50% of exposed animals |
| ppm | Concentration expressed in parts per million |
| Tdlo | Lowest dose to cause a symptom |
| Tclo | Lowest concentration to cause a symptom |

| PERSONAL PROTECTION INDEX | | | |
|---------------------------|----------|----------|--|
| A | G | B | H |
| C | I | D | J |
| E | K | F | X Consult your supervisor or S.O.P. for 'SPECIAL' handling directions |
| A | n | o | p |
| t | u | w | y |
| z | q | r | s |

| Pericoli di Tipo Fisico Chimico | | | | |
|---------------------------------|-----------------------------|---------------------------------|---------------------------|-----------|
| | | | | |
| Esplsoivo | Gas sotto pressione | Infiammabile | Ossidante | Corrosivo |
| Pericoli per la Salute | | | Pericoli per l'Ambiente | |
| | | | | |
| Tossico acuto | Gravi effetti per la salute | Effetti più lievi per la salute | Pericoloso per l'ambiente | |